## City of Burlington Historic Preservation Overlay District Sign Permit Application

All parties intending to place signage within the HPO District must complete the following steps:

- ⇒ Provide completed Sign Permit Application to the City of Burlington Building Inspector's office located at 300 North Pine Street, Burlington;
- ⇒ Application must be submitted 10 business days prior to the regularly scheduled Historic Preservation Commission (HPC) meeting. The HPC meets every 4<sup>th</sup> Thursday of the month at 6:30 p.m. within the Common Council Chambers located at 224 East Jefferson Street.
- ⇒ Upon a recommendation to approve the proposed sign, the HPC will provide their recommendation to the Plan Commission. The Plan Commission meets every 2<sup>nd</sup> Tuesday of the month at 6:30 p.m.

You are encouraged to attend said meetings to address any questions or concerns that the Commission members may have regarding your sign application.

Please find the attached ordinances, which indicate the standards of signage within the HPO district.

Project Location: (Building Address)	Applicant Name(s	s):			
Property Owner Name:	Applicant Mailing	g Address:			
Property Owner Telephone Number:	Applicant Telepho	one Number:			
Property Owner Fax Number:	Applicant Fax Nu	ımber:			
Sign Contractor	Sign Contractor I	Mailing Addre	SS		
1. Signs Prohibited in the HPO	District.		_		
In addition to signs prohibited in ALI signs are prohibited:	ZONING DISTRICTS as set for	orth in § 315-	65, the following		
	. Exception – one sandwich s d does not constitute a public	_	· , ·		
Applicable to proposed sign	n permit application?	Yes	No		
	B. <b>Plastic Formed Signs</b> . No plastic formed signs or signs formed from plastic-like materials unless such materials simulate historic signage.				
Applicable to proposed sign	n permit application?	Yes	No		

A. Placement. All wall, fascia, transoms and awning signs shall be placed BELOW the upper edge of the traditional building sign band (for graphic example, please see page three of attached HPO zoning ordinance). No signage allowed above upper edge of said sign band, with the exception of projecting and hanging signs (see item #3).  Applicable to proposed sign permit application?  Conform to Placement Requirement?  B. Maximum Signage Area. Total cumulative signage area of all exterior signage placed upon street-facing façade of building (does not include signage placed inside of windows, freestanding sandwich signs or projecting and overhanging signs) shall NOT EXCEED 15% of total facade area of the FIRST FLOOR street-facing façade.  Applicable to proposed sign permit application?  Conform to Maximum Signage Requirement?  Yes No  If yes, indicate the total façade area (in square feet) of the first floor street-facing façade:  square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all street-facing signs:  square feet.  C. Maximum Signage Lettering. For wall and fascia signage, lettering shall not be greater than 12" in height AND cover not more than 60% of the sign board on which the letters are placed.  Applicable to proposed sign permit application?  Yes No  D. Maximum Number of Wall, Fascia, Transom and Awning Signs. Total number shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application?  Yes No  Conform to Maximum Requirement?  Yes No  Conform to Jacade (as measured from the upper edge of the sign band to the upper edge of the cornice):  square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all projecting and hanging signs facing the street:  square feet.  Applicable to proposed sign permit application?  Yes No  Conform to Placement Requirement?  No  Projecting and Hanging Signs.	Wall,	Fascia (including transoms) and Awning Signs.		
B. Maximum Signage Area. Total cumulative signage area of all exterior signage placed upon street-facing façade of building (does not include signage placed inside of windows, freestanding sandwich signs or projecting and overhanging signs) shall NOT EXCEED 15% of total facade area of the FIRST FLOOR street-facing façade.  Applicable to proposed sign permit application? Yes No Conform to Maximum Signage Requirement? Yes No No  If yes, indicate the total façade area (in square feet) of the first floor street-facing façade:  square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all street-facing signs:  square feet.  C. Maximum Signage Lettering. For wall and fascia signage, lettering shall not be greater than 12" in height AND cover not more than 60% of the sign board on which the letters are placed.  Applicable to proposed sign permit application? Yes No  D. Maximum Number of Wall, Fascia, Transom and Aming Signs. Total number shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application? Yes No  Conform to Maximum Requirement? Yes No  Conform to Maximum Requirement? Yes No  If yes, indicate the total façade area (in square feet) of the upper (second) floor street-facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice): square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all projecting and hanging signs facing the street: square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application? Yes No	A.	the upper edge of the traditional building sign l see page three of attached HPO zoning ordinan- upper edge of said sign band, with the exceptio	band (for graphic ce). No signage a	example, please llowed above
placed upon street-facing façade of building (does not include signage placed inside of windows, freestanding sandwich signs or projecting and overhanging signs) shall NOT EXCEED 15% of total facade area of the FIRST FLOOR street-facing façade.  Applicable to proposed sign permit application?  Applicable to proposed sign permit application?  Yes No  Conform to Maximum Signage Requirement?  Yes No  If yes, indicate the total façade area (in square feet) of the first floor street-facing façade:  square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all street-facing signs:  square feet.  C. Maximum Signage Lettering. For wall and fascia signage, lettering shall not be greater than 12" in height AND cover not more than 60% of the sign board on which the letters are placed.  Applicable to proposed sign permit application?  Yes No  Conform to Lettering Requirement?  Yes No  D. Maximum Number of Wall, Fascia, Transom and Awning Signs. Total number shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application?  Yes No  Conform to Maximum Requirement?  Yes No  Conform to Maximum Requirement?  Yes No  Conform to Maximum Requirement the upper edge of the sign band to the upper edge of the cornice):  square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all projecting and hanging signs facing the street:  square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application?  Yes No  Conform to Placement Requirement?				
If yes, indicate the total façade area (in square feet) of the first floor street-facing façade:square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all street-facing signs:square feet.  C. Maximum Signage Lettering. For wall and fascia signage, lettering shall not be greater than 12" in height AND cover not more than 60% of the sign board on which the letters are placed.  Applicable to proposed sign permit application?YesNo Conform to Lettering Requirement?  D. Maximum Number of Wall, Fascia, Transom and Awning Signs. Total number shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application?YesNo Conform to Maximum Requirement?  If yes, indicate the total façade area (in square feet) of the upper (second) floor street-facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice):	В.	placed upon street-facing façade of building (do inside of windows, freestanding sandwich signs signs) shall NOT EXCEED 15% of total facade a	oes not include signs or projecting an	gnage placed d overhanging
If yes, indicate the total façade area (in square feet) of the first floor street-facing façade:  square feet.  If applicable, indicate the <u>current</u> total cumulative signage area (square feet) of all street-facing signs:  square feet.  C. Maximum Signage Lettering. For wall and fascia signage, lettering shall not be greater than 12" in height AND cover not more than 60% of the sign board on which the letters are placed.  Applicable to proposed sign permit application?  D. Maximum Number of Wall, Fascia, Transom and Awning Signs. Total number shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application?  Yes  No  Conform to Maximum Requirement?  Yes  No  If yes, indicate the total façade area (in square feet) of the upper (second) floor street-facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice):  square feet.  If applicable, indicate the <u>current</u> total cumulative signage area (square feet) of all projecting and hanging signs facing the street:  square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application?  Yes  No  Conform to Placement Requirement?				
C. Maximum Signage Lettering. For wall and fascia signage, lettering shall not be greater than 12" in height AND cover not more than 60% of the sign board on which the letters are placed.  Applicable to proposed sign permit application? Yes No  Conform to Lettering Requirement? Yes No  D. Maximum Number of Wall, Fascia, Transom and Awning Signs. Total number shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application? Yes No  Conform to Maximum Requirement? Yes No  If yes, indicate the total façade area (in square feet) of the upper (second) floor street-facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice): square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all projecting and hanging signs facing the street: square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application? Yes No  Conform to Placement Requirement?		, indicate the total façade area (in square feet) of the	he first floor stree	et-facing façade:
greater than 12" in height AND cover not more than 60% of the sign board on which the letters are placed.  Applicable to proposed sign permit application? Yes No Conform to Lettering Requirement? Yes No  D.			age area (square :	feet) of all street-
Conform to Lettering Requirement?  D. Maximum Number of Wall, Fascia, Transom and Awning Signs. Total number shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application?  Yes No  Conform to Maximum Requirement?  Yes No  If yes, indicate the total façade area (in square feet) of the upper (second) floor street-facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice):  If applicable, indicate the current total cumulative signage area (square feet) of all projecting and hanging signs facing the street:  Square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application?  Yes No  Conform to Placement Requirement?  Yes No	C.	greater than 12" in height AND cover not more		
shall not exceed 3 signs. Gilded, vinyl or painted letters on the inside or outside of storefront display windows are not included within said maximum.  Applicable to proposed sign permit application? Yes No Conform to Maximum Requirement? Yes No  If yes, indicate the total façade area (in square feet) of the upper (second) floor street-facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice): square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all projecting and hanging signs facing the street: square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application? Yes No Conform to Placement Requirement? Yes No				
Conform to Maximum Requirement?  YesNo  If yes, indicate the total façade area (in square feet) of the upper (second) floor street- facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice):square feet.  If applicable, indicate the current total cumulative signage area (square feet) of all projecting and hanging signs facing the street: square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application? Yes No Conform to Placement Requirement? Yes No	D.	shall not exceed 3 signs. Gilded, vinyl or paint	ed letters on the i	inside or outside
facing façade (as measured from the upper edge of the sign band to the upper edge of the cornice):				
projecting and hanging signs facing the street: square feet.  E. Wall, Fascia and Transom Sign Placement. No wall sign or fascia (including transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application? Yes No Conform to Placement Requirement? Yes No	facing	g façade (as measured from the upper edge of the		
transom) shall be placed to visually obscure architectural details of the building.  Applicable to proposed sign permit application? Yes No  Conform to Placement Requirement? Yes No				
Conform to Placement Requirement? Yes No	E.			
Designating and Hanging Circus				
Projecting and Hanging Signs.	Drois	oting and Hanging Signs		
	Α	Minimum and Maximum Height All projection	ng and hanging s	igns shall be

2.

3.

A. **Minimum and Maximum Height**. All projecting and hanging signs shall be elevated a minimum height of 8 feet. Said signs may be placed ABOVE the sign band; however not above the top edge of the largest second story window.

\*\*Created on 06/07/00 10:51 AM\*\*

		able to proposed sign permit application? m to Placement Requirement?	Yes	No No	
F	В.	<b>Limitation of the Extension</b> . All projecting and more than 5 feet from the surface of its supportion not extend closer than 2 feet to any public street	ng building. All	said signs shall	
		able to proposed sign permit application? m to Extension Requirement?	Yes Yes	No No	
(	C.	<b>Placement of Projecting and Hanging Signs.</b> shall be placed perpendicular to the façade and			
		able to proposed sign permit application? m to Perpendicular Requirement?	Yes Yes	No No	
Ι	D.	Maximum Area of Projecting and Hanging Sig area allowed for projecting and hanging signs sh building façade area.			
		able to proposed sign permit application? m to Maximum Area Requirement?	Yes Yes	No No	
F	E.	<b>Limitation of the Number of Projecting and H</b> of projecting and hanging signs allowed on a strubusiness.			
		able to proposed sign permit application? m to Number of Signs Requirement?	Yes Yes	No No	
I	Illumin	ation of Signs.			
A	A.	No internally illuminated signs shall be place are illuminated, signs shall be EXTERNALLY illu		<b>strict</b> . If signs	
		able to proposed sign permit application? m to Illumination Requirement?	Yes Yes	No No	
E	В.	Non-flashing, illuminated neon signs shall be	permitted.		
		able to proposed sign permit application? m to Neon Requirement?	Yes	No No	
I	Limitat	ion of Types of Window Signs.			
	All window signs, including transom windows, shall be gilded, painted, vinyl, etched glas or leaded glass letters placed on the inside of storefront display windows. Product and/company logo signs are allowed on the inside of storefront display windows.				
			nt display windov		
e e	compar <b>Applic</b> a		nt display windov Yes Yes		
A	compar Applica Confor	ny logo signs are allowed on the inside of storefronable to proposed sign permit application?	Yes	vs No	
A A	Applica Confor Signage	ny logo signs are allowed on the inside of storefrom able to proposed sign permit application? m to Types of Signage Requirement?	Yes Yes	vs No No	



Please attach a **recent photograph** of the entire façade of the building upon which the sign is proposed to be placed (minimum size of 3 inches by 5 inches) and a drawing or other graphic display of the proposed signage (drawn to a known architectural or engineering scale and properly dimensioned). This display must include all details that are applicable to said application including the following:

1. Proposed sign placement on the building with scaled dimensions indicating placement, distance extension from building and height of the sign relative to the abutting sidewalk (or surrounding grade if there isn't a sidewalk) for each sign proposed.

I hereby certify that all statements, forms and attachments submitted hereto are true and

- 2. The material composition of the sign and its various elements.
- 3. The color(s) of the sign(s) proposed.
- 4. Scale of the drawing or graphic noted.
- 5. Date of the drawing or graphic noted.
- 6. Name of the preparer of the drawing noted.

correct to the best of my knowledge and belief.					
Property Owner Signature	Date				
Applicant's Signature	Date				

Created on 06/07/00 10:51 AM **Revised: 11/23/04**